Sample

DIABETES - HYPOGLYCEMIA

Student:	Grade:	School Contact:	DOB:
Mother:	MHome #:	MWork #:	MCell #:
Father:			
Emergency Contact:	Relations	ship:	Phone:
SYMPTOMS OF A HYPOGLYCEMIC Shaking, fast heartbeat, sweating, Complaints of hunger, impaired to Onset may be sudden and can SEVERE SYMPTOMS INCLUDE: Appears very pale, feels faint, loss Seizure activity STAFF MEMBERS INSTRUCTED:	anxiety, irritability ision, weakness or fatigue progress to Insulin Shoc of consciousness Classroom Tea	k .cher(s) □ Speci	Student Photo al Area Teacher(s)
☐ Administration	n 🚨 Support Staff	☐ Trans	sportation Staff
Stop any activity immediately. Accompany the student to the He If off school grounds, provide a s 1/2 - 3/4 cup juice Glucose tabs Hard candy Regular soda (not diet!) Glucose gel Notify parents/guardian (do not det)	ource of glucose:		t for student first).
STEPS TO FOLLOW FOR A HYPOC Glucagon ordered: Yes No If Glucagon is ordered, it should be given unconscious, unresponsive or having a sei After Glucagon is given, call 911. Notify Students receiving glucagon without their staff member should accompany the stude present and adequate supervision for othe	by a willing volunteer who zure. parents Preferred Hospital parent or guardian present ent to the emergency room	has been trained by the slif transported:should be transported to	the hospital by ambulance. A emergency contact is not
Healthcare Provider:		Phone:	
		1 110110.	
Written by: Copy provided		Date	